

SAFETY DATA SHEET

SECTION 1 – IDENTIFICATION

NAME / CODE: BOD-SOLV / 5603XX

USE: Prespotter / Emulsifier for laundry

MANUFACTURER: B.O.D. CHEMICALS INC.

3300, Star Street, Saint-Hubert, Qc, Canada, J3Y 3W6

Phone: (450) 443-5556 / Fax: (450) 443-6230 / Email: info@chimiquesbod.com

EMERGENCY PHONE: 1 (877) 565 8540

SECTION 2 – HAZARDS IDENTIFICATION

GHS CLASSIFICATION

PHYSICAL HAZARDS: Flammable liquids, category 2

HEALTH HAZARDS: Skin corrosion / Irritation, category 2

Serious eye damage / Eye irritation, category 1

Sensitization - Skin

DANGER

Reproductive toxicity, category 2

Specific target organ toxicity - Single exposure, category 2B Specific target organ toxicity - Repeated exposure, category 2

Aspiration hazard, category 1

ENVIRONMENTAL HAZARDS: Not available

GHS LABEL ELEMENTS

HAZARD STATEMENTS:

PICTOGRAM:

SIGNAL WORD:

Highly flammable liquid and vapour.

Causes skin irritation. Causes serious eye damage. May cause an allergic skin reaction.

Suspected of damaging fertility or the unborn child.

May cause respiratory irritation.

May cause drowsiness or dizziness.

May cause damage to organs through prolonged or repeated exposure.

May be fatal if swallowed and enters airways.

PRECAUTIONARY STATEMENTS

PREVENTION: Keep away from heat, sparks, open flames, hot surfaces. No smoking. Keep container tightly

closed. Ground/bond container and receiving equipment. Use explosion-proof electrical, ventilating, lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Wear protective gloves/protective clothing/eye protection/face protection. Wash thoroughly after handling. Avoid breathing vapours. Contaminated work clothing should not be allowed out of the workplace. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use only in

in a well-ventilated area.

RESPONSE: In case of fire: Use chemical powder, foam, carbon dioxide for extinction. If on skin (or

hair): Remove/Take off immediately all contaminated clothing. Wash for 10 minutes with plenty of soap and water/shower. Specific treatment (see supplemental first aid on the label). If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse. If skin irritation or rash occurs: Get medical advice/attention. If in eyes:

Rinse immediately and cautiously with water for 10-15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing, keeping eyelids open. Immediately call a POISON CENTER or doctor/physician. **If exposed or concerned:** Get medical advice/attention. **If inhaled:** Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell. **If swallowed:** Immediately call a POISON CENTER or doctor/physician. Do NOT induce vomiting.

STORAGE / DISPOSAL: Store in a well-ventilated place. Keep cool. Store locked up. Keep container tightly

closed. Dispose of contents/container in accordance with local regulations (see 13th

section).

SECTION 3 – COMPOSITION / INFORMATION ON INGREDIENTS

 INGREDIENT
 CAS
 % (W/W)

 Petroleum distillate
 064742-89-8
 30 - 60

 Alcohols ethoxylated
 068439-46-3
 30 - 60

 Ethylene glycol butyl ether
 000111-76-2
 10 - 30

SECTION 4 - FIRST AID MEASURES

SKIN: Remove contaminated clothing. Rinse skin with water for at least 10 minutes/shower. Consult a

physician if irritation persists.

EYES: Rinse cautiously with water for 10-15 minutes, keeping eyelids open. Remove contact lenses, if

present and easy to do. Continue rinsing. Call a physician immediately.

INGESTION: Rinse mouth. Do not induce vomiting. Drink 3 to 4 glasses of water. Do not give anything by

mouth if victim is unconscious. Call a physician immediately.

INHALATION: Breathe fresh air. Give artificial respiration if necessary. Consult a physician if discomforts persist.

MOST IMPORTANT SYMPTOMS/EFFECTS ACUTE AND DELAYED Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including

blindness could result.

TO PHYSICIAN: Treat symptoms.

SECTION 5 – FIRE-FIGHTING MEASURES

EXTINGUISHING MEDIA: Water spray, carbon dioxide, chemical powder, foam.

UNSUITABLE EXTINGUISHING MEDIA:Do not use water jet as an extinguisher, as this will spread the fire.

SPECIFIC HAZARDS OF THE The product is flammable. In case of fire, toxic fumes are emitted.

HAZARDOUS PRODUCT: The product does not burn itself but can decompose during heating to produce

carbon monoxide and dioxide and toxic fumes.

SPECIAL FIRE FIGHTING PROCEDURES: Wear protective clothing and self-contained breathing apparatus if necessary.

SECTION 6 - ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES: Ventilate enclosed areas. Avoid contact of the product with eyes and skin. Do not breathe vapours. Wear gloves, safety goggles and respirator if needed. Prevent discharge in sewers.

Keep away from incompatible materials.

ENVIRONMENTAL PRECAUTIONS: Avoid the spillage or runoff entering drains, sewers or watercourses.

METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP:

Wear protective clothing. Control spill to prevent runoff into sewers. Cover with inert absorbent material and recover in suitable containers. Sweep and rinse with water.

SECTION 7 – HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING: Avoid contact of the product with eyes and skin. Do not breathe vapours. Do not

eat, drink or smoke when using this product.

CONDITIONS FOR SAFE STORAGE, **INCLUDING ANY INCOMPATIBILITIES:** Keep containers closed, in fresh, dry and well ventilated area, away from incompatible

materials. Ventilate enclosed areas.

SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

EXPOSURE LIMITS:

INGREDIENT	CAS	VALUE	REGULATION
Ethylene glycol butyl ether	111-76-2	VEMP: 97 mg/m ³	RSST

APPROPRIATE ENGINEERING Normal ventilation

CONTROL:

PERSONAL PROTECTIVE EQUIPMENT





SKIN: Protective clothing. Impermeable gloves.

EYES: Safety goggles.

RESPIRATORY: If ventilation is inadequate, suitable respiratory protection must be worn.

HYGIENE MEASURES: Wash hands after handling.

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE / FORM: Clear liquid

COLOR: Colorless - light brown

ODOR: Solvent

ODOR THRESHOLD: Not available

pH: Not applicable

MELTING POINT / FREEZING POINT (°C): < 0

< 100 **BOILING POINT (°C):**

FLASH POINT (°C): Not available

EVAPORATION RATE: Not available

EXPLOSIVE LIMITS: Not available

VAPOUR PRESSURE: Not available

VAPOUR DENSITY: Not available

0.89 - 0.91DENSITY (kg/L):

WATER SOLUBILITY: Partial

PARTITION COEFFICIENT Not available

N-OCTANOL / WATER:

AUTOIGNITION TEMPERATURE (°C):

DECOMPOSITION TEMPERATURE (°C): Not available

SECTION 10 – STABILITY AND REACTIVITY

REACTIVITY: No dangerous reaction known under conditions of normal use.

Not available

CHEMICAL STABILITY: Stable at normal ambient temperatures and when used as recommended. HAZARDOUS REACTIONS: Hazardous polymerisation does not occur.

CONDITIONS TO AVOID: Contact with incompatible materials, heat, flame, sparks.

INCOMPATIBILITY: Strong comburants, strong oxidizing agents.

HAZARDOUS DECOMPOSITION PRODUCTS: Not available.

SECTION 11 – TOXICOLOGICAL INFORMATION

INFORMATION ON LIKELY ROUTES OF EXPOSURE

SKIN: Causes skin irritation.

EYES: Causes serious eye damage.

INHALATION: May cause an irritation, nauseas.

INGESTION: May cause an irritation, nauseas.

NUMERIC VALUES OF TOXICITY

ACUTE ORAL TOXICITY: LD50 (oral, rat): 2506 mg/kg

ACUTE DERMAL TOXICITY: Not available. No health effects (normal conditions of use).

ACUTE INHALATION TOXICITY: Not available. No health effects (normal conditions of use).

DELAYED AND IMMEDIATE EFFECTS

SKIN CORROSION / IRRITATION: Causes skin irritation.

SERIOUS EYE DAMAGE / EYE IRRITATION: Causes serious eye damage.

RESPIRATORY SENSITIZATION: Not expected to cause respiratory sensitization.

SKIN SENSITIZATION: May cause an allergic skin reaction.

GERMINAL CELL MUTAGENICITY: No data available to indicate product or components present at greater than 0.1%

are mutagenic or genotoxic.

CARCINOGENICITY: No component of this product present at levels greater than or equal to 0.1% is

identified as a carcinogen.

REPRODUCTIVE TOXICITY: Suspected of damaging fertility or the unborn child.

SPECIFIC TARGET ORGAN TOXICITY-

SINGLE EXPOSURE:

May cause respiratory irritation. May cause drowsiness or dizziness.

SPECIFIC TARGET ORGAN TOXICITY-

REPEATED EXPOSURE:

May cause damage to organs through prolonged or repeated exposure.

ASPIRATION HAZARD: May be fatal if swallowed and enters airways.

SECTION 12 – ECOLOGICAL INFORMATION

ECOTOXICITY: Petroleum distillate

EC50, Pseudokirchneriella subcapitata, 72h, 4700 mg/l

Ethylene glycol butyl ether

LC50, Oncorhynchus mykiss (rainbow trout), 96h, 1474 mg/l

EC50, Daphnia magna (Water flea), 48h, 1550 mg/l

PERSISTENCE AND DEGRADABILITY: Not available
BIOACCUMULATIVE POTENTIAL: Not available

MOBILITY IN SOIL: Not available

OTHER ADVERSE EFFECTS: Not available

SECTION 13 – DISPOSAL CONSIDERATIONS

DISPOSAL INSTRUCTIONS: Collect in appropriate containers and recycle or dispose the product at a licensed waste disposal site

or in accordance with local regulations. Avoid the spillage or runoff entering drains, sewers or

watercourses.

HAZARDOUS WASTE CODE: The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

CONTAMINATED PACKAGING: Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

SECTION 14 – TRANSPORT INFORMATION

TDG: UN1993, FLAMMABLE LIQUID, N.O.S., (Petroleum distillate), Class 3, PG II

SPECIAL PRECAUTIONS FOR USER: Read safety instructions, SDS and emergency procedures before handling.

SECTION 15 – REGULATORY INFORMATION

Ingredients included on inventory of DSL (Canada), REACH, TSCA (USA)

SECTION 16 – OTHER INFORMATION

PRODUCT NAME: BOD-SOLV

CODE: 5603XX

IN CASE OF CANUTEC (Canada): 1 (613) 996-6666

ACCIDENTAL SPILL:

PREPARED BY: B.O.D. CHEMICALS INC.

PHONE: (450) 443-5556

DATE: May 19th, 2021

B.O.D. CHEMICALS INC. assume no responsibility for damages or physical injuries resulting in the use of this product. The user recognizes the risk in the use of this product and must consult and respect directions and dangers of this product.