

### **SECTION 1 – IDENTIFICATION**

NAME / CODE:

**MANUFACTURER:** 

USE:

ENVIRO-400 / 0410XX

**B.O.D. CHEMICALS INC.** 

Liquid pre-soak agent for utensils and dishes

MANUFACIURER:	B.O.D. CHEMICALS INC. 3300, Star Street, Saint-Hubert, Qc, Canada, J3Y 3W6 Phone : (450) 443-5556 / Fax : (450) 443-6230 / Email : info@chimiquesbod.com	
EMERGENCY PHONE:	1 (877) 565-8540	
<b>SECTION 2 – HAZ</b>	ARDS IDENTIFICATION	
GHS CLASSIFICATION		
PHYSICAL HAZARDS:	Corrosive to metals, category 1	
HEALTH HAZARDS:	Skin corrosion / Irritation, category 1 Serious eye damage / Eye irritation, category 1	
ENVIRONMENTAL HAZ	ARDS: Not available	
GHS LABEL ELEMENTS	8	
PICTOGRAM:		
SIGNAL WORD:	DANGER	
HAZARD STATEMENTS	May be corrosive to metals. Causes severe skin burns and eye damage. Causes serious eye damage.	
PRECAUTIONARY STA	TEMENTS	
PREVENTION:	Keep only in original container. Wash skin thoroughly after handling. Do not breathing vapours. Wear protective gloves/protective clothing/eye protection/face protection.	
RESPONSE:	Absorb spillage to prevent material damage. <b>If swallowed:</b> Rinse mouth. Do NOT induce vomiting. Call a POISON CENTER or doctor/physician if you feel unwell. <b>If on skin (or hair):</b> Take off immediately all contaminated clothing. Rinse skin with water for at least 15-20 minutes/shower. Wash contaminated clothing before reuse. <b>If inhaled:</b> Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor. Specific treatment (see supplemental first aid on the label). <b>If in eyes:</b> Rinse cautiously with water for 15-20 minutes. Remove contact lenses, if present and easy to do. Continue rinsing, keeping eyelids open. Immediately call a POISON CENTER/doctor.	
STORAGE / DISPOSAL:	Store in corrosive resistant container. Store locked up. Dispose of contents/container in accordance with local regulations (see 13 <sup>th</sup> section).	

### **SECTION 3 – COMPOSITION / INFORMATION ON INGREDIENTS**

INGREDIENT Sodium hydroxide	<b>CAS</b> 001310-73-2	% <b>(W/W)</b> 3 - 7
Lauramine oxide	001643-20-5	1 - 5
Sodium silicate	001344-09-8	1 - 5
Sodium hypochlorite	007681-52-9	1 - 5

### **SECTION 4 – FIRST AID MEASURES**

SECTION 5 – FIRE-FIGHTING MEASURES	
TO PHYSICIAN:	Treat symptoms
MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED:	Skin: Burning and severe skin damage, redness of the skin. Eyes: Causes serious eye damage. Symptoms may include burning, tingling, watery eyes, redness, swelling and blurred vision. This could result in permanent eye damage.
INHALATION:	Breathe fresh air. Give artificial respiration if necessary. Consult a physician if discomforts persist.
INGESTION:	Rinse mouth. Do not induce vomiting. Drink 3 to 4 glasses of water or milk. Do not give anything by mouth if victim is unconscious. Call a physician immediately.
EYES:	Rinse cautiously with water for 15-20 minutes, keeping eyelids open. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.
SKIN:	Remove contaminated clothing. Rinse skin with water for at least 15 minutes/shower. Consult a physician if irritation persists.

EXTINGUISHING MEDIA:	Water spray, carbon dioxide, chemical powder, foam.
UNSUITABLE EXTINGUISHING MEDIA:	Do not use water jet as an extinguisher, as this will spread the fire. Do not use an extinguisher containing halogenated agents.
SPECIFIC HAZARDS OF THE HAZARDOUS PRODUCT:	The product is not flammable. In case of fire, toxic and corrosive fumes are emitted. The product does not burn itself but can decompose during heating to produce carbon monoxide and dioxide and corrosive and / or toxic fumes.
SPECIAL FIRE FIGHTING PROCEDURES:	Wear protective clothing and self-contained breathing apparatus if necessary.

### SECTION 6 – ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS,<br/>PROTECTIVE EQUIPMENT AND<br/>EMERGENCY PROCEDURES:Ventilate enclosed areas. Avoid contact of the product with eyes and skin. Do not breathe<br/>vapours. Wear gloves, safety goggles and respirator if needed. Prevent discharge in<br/>sewers. Keep away from incompatibles materials.ENVIRONMENTAL PRECAUTIONS:Avoid the spillage or runoff entering drains, sewers or watercourses.METHODS AND MATERIALS FOR<br/>CONTAINMENT AND CLEANING UP:Wear protective clothing. Control spill to prevent runoff into sewers. Cover with inert<br/>absorbent material and recover in suitable containers. Sweep and rinse with water.

### **SECTION 7 – HANDLING AND STORAGE**

INCLUDING ANY INCOMPATIBILITIES: soft metals (AI, Zn, Sn).

PRECAUTIONS FOR SAFE HANDLING:	Avoid contact of the product with eyes and skin. Do not breathe vapours. Do not eat, drink or smoke when using this product. Wash hands after handling.
CONDITIONS FOR SAFE STORAGE,	Keep containers closed, in fresh, dry and well ventilated area, away from acids,

## SECTION 8 – EXPOSURE CONTROLS / PERSONAL PROTECTION

#### EXPOSURE LIMITS:

INGREDIENT	CAS	VALUE	REGULATION
Sodium hydroxide	1310-73-2	VP: 2 mg/m <sup>3</sup>	RSST

APPROPRIATE ENGINEERING Normal ventilation CONTROL:

PERSONAL PROTECTIVE EQUIPMENT



SKIN:	Protective clothing. Impermeable gloves.
EYES:	Safety goggles.
RESPIRATORY:	If ventilation is inadequate, suitable respiratory protection must be worn.
HYGIENE MEASURES:	Wash hands after handling.

# **SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES**

APPEARANCE / FORM:	Clear liquid
COLOR:	Colorless - light yellow
ODOR:	Chlorine
ODOR THRESHOLD:	Not available
pH:	13 - 14
MELTING POINT / FREEZING POINT (°C):	< 0
BOILING POINT (°C):	> 100
FLASH POINT (°C):	Not available
EVAPORATION RATE:	Not available
EXPLOSIVE LIMITS:	Not available
VAPOUR PRESSURE:	Not available
VAPOUR DENSITY:	Not available
DENSITY (kg/L):	1.07 - 1.09
WATER SOLUBILITY:	Complete
PARTITION COEFFICIENT N-OCTANOL / WATER:	Not available
AUTOIGNITION TEMPERATURE (°C):	Not available
DECOMPOSITION TEMPERATURE (°C):	Not available

# **SECTION 10 – STABILITY AND REACTIVITY**

REACTIVITY:	No dangerous reaction known under conditions of normal use.
CHEMICAL STABILITY:	Stable at normal ambient temperatures and when used as recommended.
HAZARDOUS REACTIONS:	Hazardous polymerisation does not occur.
CONDITIONS TO AVOID:	Heat, sunlight, contact with incompatible materials.
INCOMPATIBILITY:	Acids, reducing agents, oxidizing agents, soft metals (Al, Zn, Sn).
HAZARDOUS DECOMPOSITION PRODUCTS:	Not available

# **SECTION 11 – TOXICOLOGICAL INFORMATION**

#### INFORMATION ON LIKELY ROUTES OF EXPOSURE

SKIN:	Causes severe skin burns.
EYES:	Causes serious eye damage.
INHALATION:	May cause an irritation.

INGESTION:	May cause a severe irritation.	
NUMERIC VALUES OF TOXICITY		
ACUTE ORAL TOXICITY:	LD50 (rat): 2162 mg/kg	
ACUTE DERMAL TOXICITY:	Not available. No health effects (normal conditions of use).	
ACUTE INHALATION TOXICITY:	Not available. No health effects (normal conditions of use).	
DELAYED AND IMMEDIATE EFFECTS		
SKIN CORROSION / IRRITATION:	Causes severe skin burns.	
SERIOUS EYE DAMAGE / EYE IRRITATIO	<b>DN:</b> Causes serious eye damage.	
RESPIRATORY SENSITIZATION:	Not expected to cause respiratory sensitization.	
SKIN SENSITIZATION:	Not expected to cause skin sensitization.	
GERMINAL CELL MUTAGENICITY:	No data available to indicate product or components present at greater than 0.1% are mutagenic or genotoxic.	
CARCINOGENICITY:	No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen.	
REPRODUCTIVE TOXICITY:	No potential reproductive toxicity.	
SPECIFIC TARGET ORGAN TOXICITY- SINGLE EXPOSURE:	Not classified.	
SPECIFIC TARGET ORGAN TOXICITY- REPEATED EXPOSURE:	Not classified.	
ASPIRATION HAZARD:	Not classified.	
SECTION 12 – ECOLOGICAL INFORMATION		
ECOTOXICITY:	Sodium hydroxide LC50 Bluegill, 99 mg/l – 48h LC50 Mosquitofish, 125 mg/l, – 96h	
	Sodium hypochlorite LC50 Daphnia magna, 1 mg/l LC50 Bluegill, 0.6 mg/l, 48h	
PERSISTENCE AND DEGRADABILITY:	Not available.	
BIOACCUMULATIVE POTENTIAL:	Not available.	
MOBILITY IN SOIL:	Not available.	
OTHER ADVERSE EFFECTS:	Not available	

# SECTION 13 – DISPOSAL CONSIDERATIONS

**DISPOSAL INSTRUCTIONS:** Collect in appropriate containers and recycle or dispose the product at a licensed waste disposal site or in accordance with local regulations. Avoid the spillage or runoff entering drains, sewers or watercourses.

**HAZARDOUS WASTE CODE:** The waste code should be assigned in discussion between the user, the producer and the waste disposal company.

**CONTAMINATED PACKAGING:** Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

#### **SECTION 14 – TRANSPORT INFORMATION**

TDG: UN1760, CORROSIVE LIQUID, N.O.S., (Sodium hydroxide), Class 8, PG II

SPECIAL PRECAUTIONS FOR USER: Read safety instructions, SDS and emergency procedures before handling.

### **SECTION 15 – REGULATORY INFORMATION**

Ingredients included on inventory of DSL (Canada), REACH, TSCA (USA)

#### **SECTION 16 – OTHER INFORMATION**

PRODUCT NAME:	ENVIRO-400
CODE:	0410XX
IN CASE OF ACCIDENTAL SPILL:	CANUTEC (Canada): 1 (613) 996-6666
PREPARED BY:	B.O.D. CHEMICALS INC.
PHONE:	(450) 443-5556
DATE:	December 11 <sup>th</sup> , 2018

B.O.D. CHEMICALS INC. assume no responsibility for damages or physical injuries resulting in the use of this product. The user recognizes the risk in the use of this product and must consult and respect directions and dangers of this product.